HW-series H(C)M-series



















Hot water & milk heaters

The taste of quality worldwide



Bravilor Bonamat offers a wide range of high quality hot water and milk equipment. The HW-series heats large quantities of water quickly at the right temperature, perfect for preparing a cup of tea, soup or other hot drinks. The HM-series is developed for heating milk and includes the HCM, a machine designed specifically for heating chocolate milk. Both series heat the beverage by the bain-marie method, preventing burning or sticking. The containers can be placed in any location so hot drinks can be served wherever there is a demand.



Quick and easy: drawing off with the handy non-drip tap.





Hot water machines highlighted

- · Large quantities of hot water quickly
- Hot water dispensers and double walled containers
- Easy operation and maintenance
- Compact stainless steel appearance
- Containers have an adjustable thermostat equipped with indicator lamp
- Boil dry safety mechanism
- Available with and without water connection

(Chocolate) milk heaters highlighted

- Large quantities of hot (chocolate) milk quickly
- Double walled containers
- Hot water reservoir for an even distribution of heat
- Hygienic: flush inside kettle and easy to clean parts
- Easy operation
- Robust stainless steel appearance
- Adjustable thermostat equipped with indicator lamp
- Bain-marie heating method prevents burning or sticking
- Handy stirring/measuring stick (HM) and special stirring device (HCM)

Models

The HW-series consists of hot water dispensers and containers designed for sites with and without water connection. The dispensers are extremely suitable to place on a buffet. The containers (4, 8 and 16 litres) can be transported easily so you can serve hot water anywhere you like. Beautifully designed hot water dispensers can also be found in the RLX-series: the RLX 3 and RLX 4. The (chocolate) milk heaters of the H(C)M-series heat the beverage using the 'bain-marie' method. The HM-series are available in 5, 10 and 20 litres and the HCM in 10 litres.

It is also possible to place the modern designed hot water dispenser RLX 3 or hot water/steam dispenser RLX 4 as a separate as well as in combination with your existing equipment.





HW-series H(C)M-series





The required temperature can be regulated by means of a thermostat. The indicator lamp indicates when the contents of the container is at the right temperature.



HW-series

Technical details	HW 10	HWA 20	HWA 50	RLX 3	RLX 4	HW 505	HW 510	HW 520	HW+ 510	HW+ 520
Holding capacity	2 litres	3 litres	4.5 litres	1.8 litres	1.5 litres	4 litres	8 litres	16 litres	8 litres	16 litres
Throughput per hour 230V~ 50/60Hz 400V~ 3N 50/60Hz	approx. 18 litres	approx. 18 litres	- approx. 42 litres		approx. 25 litres		approx. 30 litres		approx. 30 litres	approx. 30 litres
Rated power 230V~ 50/60Hz 400V~ 3N 50/60Hz	2080W -	2110W -	- 4380W	1910W -	2880W -	1990W -	2850W -	2850W -	2850W -	2850W -
Dimensions (wxdxh / Øxh / mm)	205x355x430	205x355x430	295x525x582	245x509x448	245x509x448	210x423	290x438	377x458	290x438	377x458
Water connection	no	yes	yes	yes	yes	no	no	no	yes	yes

H(C)M-series

Technical details	HM 505	HM 510	HM 520	HCM 510
Holding capacity	5 litres	10 litres	20 litres	10 litres
Heating time	approx. 20 minutes	approx. 25 minutes	approx. 55 minutes	approx. 25 minutes
Rated power 230V~ 50/60Hz	2090W	2850W	2850W	2850W
Dimensions (Øxh / mm)	210x423	290x438	377x458	290x438

We advise the use of:

- Renegite for descaling
- Cleaner for thorough cleaning

|||BRAVILOR |BONAMAT



Your Bravilor Bonamat dealer

Alterations reserved 904.110.004 www.bravilor.com

The taste of quality worldwide