

Milk concept

Milk froth enjoyment
can't get any easier.

If you and your loved ones like to top off your coffee with creamy milk froth, the Xelsis was made for you. Because it does the work, you can focus on enjoying and delighting your family and friends with creamy froth crowns.

Integrated milk carafe

Simply fill the carafe with milk and turn its spout over your glass or cup. Once you have selected “milk froth” on the display, the Xelsis handles the rest. Within seconds creamy froth is poured automatically onto your beverage.

Automatic cleaning cycles

Two automatic steam-cleaning cycles for the milk circuit keep the machine perfectly clean. Enjoy a fresh cup of cappuccino, latte macchiato or caffè latte every time.



Thermal milk carafe (optional accessory)

Designed to keep milk cold for up to 6 hours, the Saeco thermal milk carafe features a removable internal container for easy cleaning as well as an external indicator which lets you know when it's time to replace the milk. The high holding capacity of 0.5 litres ensures milk is ready for frothing when you need it – while the sleek stainless steel design seamlessly blends in with any of the Xelsis machines.



 metagate	OPAS: 09 31 001	ICC: ISO coated v2 (39L)	Sonstiges: Broschuere	 DEEPBLUE NETWORKS HAMBURG	CD:	DTP: Metagate
	Kunde: Saeco	angelegt am: 01.02.10			AD:	LEKTORAT:
	Jobnr.:	angelegt von: PR				
	Endformat (mm): 297 x 210	Korrekturstep: 1		KONTAKT:	TEXT:	PRODUKTION:
	Anlageformat (mm): 297 x 210	korrigiert von: PR				
	Beschnitt: 3	korrigiert am: 01.02.10				
	Motiv: Xelsis	Größe des PDFs: 100				

Easy & simple

Xelsis is another word for convenience.

Every aspect of the Xelsis was designed to endow your life with more convenience. With this machine you can simply lay back, relax and enjoy – and thanks to its clever features, maintenance hardly takes up any time at all.

Easy-to-clean
Front access to the removable brewing group and the coffee grounds tray makes cleaning very practical.



Ergonomic design
The integrated water and bean tanks are easily accessible from the top and perfectly complement the machine's ergonomic design.

 metagate	OPAS: 09 31 001	ICC: ISO coated v2 (39L)	Sonstiges: Broschuere	 DEEPBLUE NETWORKS HAMBURG	CD:	DTP: Metagate
	Kunde: Saeco	angelegt am: 01.02.10			AD:	LEKTORAT:
	Jobnr.:	angelegt von: PR			TEXT:	PRODUKTION:
	Endformat (mm): 297 × 210	Korrekturstep: 1				
	Anlageformat (mm): 297 × 210	korrigiert von: PR				
	Beschnitt: 3	korrigiert am: 01.02.10				
	Motiv: Xelsis	Größe des PDFs: 100				

Family-friendliness

Luxury made for your family.

Xelsis and the new generation of fully automatic coffee machines by Saeco have been conceived and designed to especially match family demands. Discover why the Xelsis is a great addition to every family.




Energy Safe

This feature keeps the power consumption to a minimum. In fact, less than 1 Watt per hour is needed in stand-by mode – which automatically starts after 1 hour – saving resources and money.



Class A Energy Label

The Xelsis is kind to the environment – the proof is in the Class A energy label. With Eco-mode on, this machine features the highest level of energy efficiency according to the Swiss voluntary Energy Labelling Regulation (FEA agreement).



 metagate	OPAS: 09 31 001	ICC: ISO coated v2 (39L)	Sonstiges: Broschuere	 DEEPBLUE NETWORKS HAMBURG	CD:	DTP: Metagate
	Kunde: Saeco	angelegt am: 01.02.10			AD:	LEKTORAT:
	Jobnr.:	angelegt von: PR		KONTAKT:	TEXT:	PRODUKTION:
	Endformat (mm): 297 x 210	Korrekturstep: 1				
	Anlageformat (mm): 297 x 210	korrigiert von: PR				
	Beschnitt: 3	korrigiert am: 01.02.10				
	Motiv: Xelsis	Größe des PDFs: 100				

Perfectly Italian coffee taste every time.

The basis for superior Italian espresso is freshness – of all three relevant elements: fresh coffee beans, pure water and milk, especially for cappuccino lovers. With Saeco you can rest assured that everything is as tasty as if it were being prepared in the finest café.




Aroma seal – perfectly preserved coffee
The Xelsis's coffee bean container is equipped with an airtight silicon sealing and a UV-proof cover. This way the beans are protected from oxygen and their aroma is kept fresh until they are ground for your next espresso experience.



Ceramic grinders – perfectly ground coffee
This high-tech feature guarantees consistently accurate grinding for every coffee blend, additionally it never overheats the beans. Combined, these two advantages deliver true Italian taste in every cup.



Fresh beans – full aroma
Whole beans are freshly ground for every cup thanks to ceramic grinders. With groundbreaking technology we extract the full aroma from every single bean.



Fresh water – pure taste
The individual adjustment of the BRITA® INTENZA aroma system allows performance tailored to your water type and gives you freshly filtered water on demand for complete coffee enjoyment.




Fresh milk – creamy enjoyment
The Xelsis with integrated milk carafe makes milk froth dreams come true in no time.

 metagate	OPAS: 09 31 001	ICC: ISO coated v2 (39L)	Sonstiges: Broschuere	 DEEPBLUE NETWORKS HAMBURG	CD:	DTP: Metagate
	Kunde: Saeco	angelegt am: 01.02.10			AD:	LEKTORAT:
	Jobnr.:	angelegt von: PR				
	Endformat (mm): 297 × 210	Korrekturstep: 1		KONTAKT:	TEXT:	PRODUKTION:
	Anlageformat (mm): 297 × 210	korrigiert von: PR				
	Beschnitt: 3	korrigiert am: 01.02.10				
	Motiv: Xelsis	Größe des PDFs: 100				

Best espresso

Supreme technology
for your exquisite enjoyment.

With the Saeco Xelsis every sip is a taste sensation. For a good reason: this machine is equipped with the finest technology to absolutely and completely extract the most out of every coffee bean.



Pre-brewing for even more enjoyment
Thanks to the Saeco Pre-brewing Technology, the coffee grounds are moistened before the actual brewing process – ensuring that the aroma can unfold even better. The longer you set the Pre-brewing time on the display of your Xelsis, the more intensive your espresso will taste.

The brewing water is pushed from below through the ground coffee at high pressure – resulting in the perfect Italian espresso.



		Xelsis Digital ID	Xelsis Stainless steel	Xelsis White / Black
Design/style	Front/top	Mirror stainless steel	Stainless steel	White/black metal
	Sides	Mirror stainless steel	Stainless steel	White/black metal
	User interface	Touch-screen with graphic TFT display	Touch-screen with graphic TFT display	Touch-screen with graphic TFT display
Easy & simple	Saeco Digital ID	•		
	Cup warmer	•	•	•
	Bypass doser for pre-ground coffee	•	•	•
	Removable brewing group	•	•	•
	Adjustable cup height	From 7 to 14 cm	From 7 to 14 cm	From 7 to 14 cm
	Automatic coffee circuit rinsing/cleaning cycles	•	•	•
	Automatic milk circuit rinsing/cleaning cycles	•	•	•
	Automatic descaling cycle	•	•	•
Coffee/milk treatment	Insta-Steam® (2 boilers)	•	•	•
	5-stage adjustable grinders material	Ceramic	Ceramic	Ceramic
	Saeco Aroma System – Pre-brewing Technology	Programmable	Programmable	Programmable
	Opti-Dose – programmable coffee amount per cup	7 – 10.5 g	7 – 10.5 g	7 – 10.5 g
	Water filter	4-step filter BRITA® for Saeco	4-step filter BRITA® for Saeco	4-step filter BRITA® for Saeco
	Programmable coffee temperature	•	•	•
	Programmable coffee length	•	•	•
	Saeco Brewing System SBS – adjustable coffee crema	Via SBS rotary knob	Via SBS rotary knob	Via SBS rotary knob
	Milk frothing	Automatic with removable milk carafe	Automatic with removable milk carafe	Automatic with removable milk carafe
	Programmable froth setting	•	•	•
	Programmable milk quantity in cup	•	•	•
	Hot water nozzle	Independent nozzle	Independent nozzle	Independent nozzle
	Memory	All beverages personalizable – 6 user profiles	All beverages personalizable – 6 user profiles	All beverages personalizable – 6 user profiles
Energy	Automatic stand-by (< 1 W consumption)	After 1 h – programmable from 15' to 180'	After 1 h – programmable from 15' to 180'	After 1 h – programmable from 15' to 180'
	Energy label	Class A with eco-mode ON	Class A with eco-mode ON	Class A with eco-mode ON
	Selectable eco-mode (steam boiler off)	•	•	•
Technical data	Bean container capacity	350 g	350 g	350 g
	Removable water tank capacity	1.6 l	1.6 l	1.6 l
	Milk carafe capacity	0.5 l	0.5 l	0.5 l
	Coffee grounds container capacity	14 servings	14 servings	14 servings
	Pump pressure	15 bar	15 bar	15 bar
	Boiler material – quantity	Stainless steel – 2 boilers	Stainless steel – 2 boilers	Stainless steel – 2 boilers
	Rated power input / voltage / frequency	1500 W / 230 V / 50 Hz	1500 W / 230 V / 50 Hz	1500 W / 230 V / 50 Hz
	Machine dimensions (w x d x h)	28 x 37 x 42 cm	28 x 37 x 42 cm	28 x 37 x 42 cm
	Weight	16.1 kg	16.1 kg	16.1 kg
	Optional accessories	Thermal milk carafe (0.5 l)	•	•

 metagate	OPAS: 09 31 001	ICC: ISO coated v2 (39L)	Sonstiges: Broschuere	 DEEPBLUE NETWORKS HAMBURG	CD:	DTP: Metagate
	Kunde: Saeco	angelegt am: 01.02.10			AD:	LEKTORAT:
	Jobnr.:	angelegt von: PR			TEXT:	PRODUKTION:
	Endformat (mm): 297 x 210	Korrekturstep: 1				
	Anlageformat (mm): 297 x 210	korrigiert von: PR				
	Beschnitt: 3	korrigiert am: 01.02.10				
	Motiv: Xelsis	Größe des PDFs: 100				