RIO

INTERNATIONAL

SINCE 1976

Cooking Ranges - 1

Rio International

Cooking Ranges - 2

Rio International

Cooking Ranges - 3

Rio International

Cooking Ranges - 4

Rio International

Rio International

Rio International

Rio International

Rio International

Preparation - 1

Preparation - 2

Refrigerated - 1

Rio International

Refrigerated - 2

Self Service - 1

Rio International

Self Service- 2

Rio International

RIO

INTERNATIONAL

SINCE 1976

MODELO F-50 A

F-50-A

FRUCOSOL

Rio International

EXPRIMIDORAS AUTOMÁTICAS
para cítricos

AUTOMATIC JUICER MACHINES
for citrus fruits

www.frucosol.com

MODELO F-50

F-50

FRUCOSOL

Rio International

EXPRIMIDORAS AUTOMÁTICAS
para cítricos

AUTOMATIC JUICER MACHINES
for citrus fruits

www.frucosol.com

Omega - 1

Rio International

Rio International

Piron

Rio International



Rio International

New

LINEA MASTER

SERVE-OVER REFRIGERATED DISPLAY CABINET

MASTER

MASTER PLUS

MASTER LUX

DGD - 2

Rio International

DGD - 3

Rio International

Santos - 1

Rio International

Rio International

linea
frozen

ICE DREAM

Rio International

- Impianto di refrigerazione modulare
  Modular cooling system
- Disponibile nelle versioni a 1, 2 e 3 vasche
  Available in 1, 2 and 3 bowls versions
- Coperchio luminoso
  Illuminated lid
- Di facile manutenzione garantisce la massima igiene
  Easy maintenance, guaranteeing maximum hygiene

linea
frozen

SORBY DREAM

Rio International

- **Disponibile anche nelle versioni a 2 e 3 vasche**

  Available also in 2 and 3 bowls version

- **Eccellenti sorbetti in breve tempo**

  Excellent sherbets in short time

- **Vasche da 6 litri, semplici da usare e facili da pulire**

  6 litres capacity bowls, simple to use and easy to clean

Rio International

GHIACCIO IN CUBETTI CAVI
HOLE ICE CUBES
GLAÇONS CREUX
HOHLEM EISWÜRFEL
CUBITOS HUECOS

MP 22

MP 30

MP 40

MP 50

Rio International

GHIACCIO IN CUBETTI CAVI
HOLE ICE CUBES
GLAÇONS CREUX
HOHLEM EISWÜRFEL
CUBITOS HUECOS

MP 70 - MP 90

MP 110 - MP 140

Rio International

STAFF ICE SYSTEM

MACCHINE PER GELATO/PASTICCERIA

ICE CREAM/PASTRY MACHINE

ICE CREAM

ICE CREAM

ICE CREAM

STAFF ICE SYSTEM

BAKERY/PASTRY

GRANITA/DRINK

STAFF ICE SYSTEM S.R.L.
VIA ANNA FRANK, 8 • 47900 RIMINI / ITALY
TEL. +39 0541 373250 • FAX +39 0541 371376
e-mail: staff@staff-ice.com • www.staff-ice.com

Rio International

908® Rio®

frozen drinks

like margaritas
daiquiris & pina coladas
for use with crushed ice

Tango®

smoothies + frozen drinks

for use with crushed & half cube ice

HBB908 Series†	HBB250 Series*	HBB250S Series*	HBH450 Series*
25 second daiquiri	20 second daiquiri	20 second daiquiri	15 second daiquiri
400 Watts	450 Watts	450 Watts	600 Watts
3/8 Hp	1/2 Hp with pulse	1/2 Hp with pulse	1 Hp with pulse
1.25 L polycarbonate	1.25 L polycarbonate	.95 L stainless steel	1.4 L polycarbonate
rubber clutch	rubber clutch	rubber clutch	metal clutch
	Wave~Action® System	Wave~Action® System	Wave~Action® System
	jar pad sensor	jar pad sensor	timer/ auto shutoff
			jar pad sensor

† Available as CE or UK plug set
* Available as CE, UK or CCC plug set

Hamilton Beach
COMMERCIAL

Rio International

smoothies + frozen drinks + coffee

for use with full cube ice

Tempest®

HBH650 Series*

12 second daiquiri

1,000 Watts

3 Hp with pulse

1.9 L polycarbonate

metal clutch

timer / auto shutoff

jump cycle

jar pad sensor

Wave–Action® System

Summit®

HBH850 Series*

12 second daiquiri

1,000 Watts

3 Hp with pulse

1.9 L polycarbonate

auto blend

timer/ auto shutoff

cavitation control

cycle blending

jar pad sensor

converts to under-counter

metal clutch

Wave–Action® System

Revolution®

HBS1200 Series*

15 second daiquiri

1,000 Watts

3 Hp

1.9 L polycarbonate

metal clutch

Wave–Action® System

auto shutoff

memory card

hopper lid sensor

drain sensor

cycle blending

Everyone likes an icy drink. The secret is to find a blender that crushes ice just right. Some blenders turn ice into slush. Others keep it chunky. With Rio® Blenders, you always get smooth results, no matter what you're blending.

Rio
International
Everyone watches the waves. They're the star of the Wave Action® System. This technology pulls ingredients down into the blades for smooth results every time. The best thing about the waves? No more ice chunks in your drink!

Everyone wants a workhorse. They always perform when you need them most. That's why so many customers prefer the Tornado® Blender. It's the blender that never lets you down, from the first frozen margarita to the last.

Everyone prefers perfection. Who doesn't want a perfect drink every time? There's no doubt about drink quality when the Summit® Blender is in charge. Auto Blend senses when drinks reach perfection and are ready to serve.
Available Summer 2008
check our website for details

Rio
International
Hamilton Beach

available
Summer 2008
check our
website for
details

Everyone likes an icy drink. The secret is to find a blender that crushes ice just right. Some blenders turn ice into slush. Others keep it chunky. With Rio® Blenders, you always get smooth results, no matter what you're blending.

6126-650

Tempest®/Summit® 1.9 L Polycarb. Container

With complete cutting asembly and cover. For models HBH650, HBH850, HBS1200-CE/UK/CCC and HBS1400.

Specifications:
Shelf Carton:
10 x 7 x 5 in.
2.3 lb. / 1.1 kg
Case Pack: 1

6126-600

Tempest®/Summit® 1.4 L Polycarb. Container

With complete cutting assembly and cover. For models HBH650-CE/UK/CCC and HBH850-CE/UK/CCC.

Specifications:
Shelf Carton:
9 x 7 x 5 in.
1.9 lb. / .90 kg
Case Pack: 4

6126-91503

Tempest®/Summit® .95 L Polycarb. Container

With complete cutting assembly and cover. Fits discontinued models 1691503, 1691555, and 1691605.

Specifications:
Shelf Carton:
11 x 7.75 x 7.75 in.
27.94 x 19.69 x 19.69 cm.
4.50 lbs / 2.041 kg
Case Pack: 1

6126-450-CE

Tango® 1.4 L Polycarb. Container

With complete cutting assembly and cover for model HBH450-CE/UK/CCC.

Specifications:
Shelf Carton:
11 x 11 x 10.97 in.
27.94 x 27.94 x 27.86 cm.
8.50 lbs / 3.856 kg
Case Pack: 4

6126-250-CE

Rio® 1.25 L Polycarb. Container

With complete cutting assembly and cover. For model HBB250-CE/UK/CCC.

Specifications:
Shelf Carton:
13.5 x 11.25 x 13.75 in.
34.29 x 28.58 x 27.31 cm.
7.50 lbs / 3.402 kg
Case Pack: 4

6126-250S-CE

Rio® .95 L Stainless Steel Container

With complete cutting assembly and cover. For model HBB250S-CE/UK/CCC.

Specifications:
Shelf Carton:
9.75 x 10.38 x 10.38 in.
24.77 x 26.37 x 26.37 cm.
10.50 lbs / 4.763 kg
Case Pack: 4

6126-911

2.27 L Stainless Steel Container Kit

With complete cutting assembly and cover. For model 1G911.

Specifications:
Shelf Carton:
12.5 x 5.88 x 5.88 in.
31.75 x 14.94 x 14.94 cm.
4.13 lbs / 1.873 kg

6126-400

2.27 L Stainless Steel Container

For models HBF400-CE/UK/CCC.

Specifications:
Shelf Carton:
14 x 7 x 5 in.
3.1 lb. / 1.4 kg
Case Pack: 1

Tecnodom - 1

Rio International

Tecnodom - 2

Rio International

www.riodubai.com

Rio International

P.O.Box 12900

Al Garhoud - Dubai

United Arab Emirates (UAE)

Email : info@riodubai.com

Phone : +971 4 28 333 11

Date Washing Drying Line - 1

Rio International

Date Washing Drying Line - 2

Rio International

Date Washing Drying Line - 3

Rio International

Date Washing Drying Line - 4

Rio International

Date Washing Drying Line - 5

Rio International

Date Washing Drying Line - 6

Date Washing Drying Line - 7

Rio International

Date Washing Drying Line - 8

Date Washing Drying Line - 9

Date Washing Drying Line - 10



Trays Packing machines

معدات التعبئة بالطب

Rio International

VacuMIT®

Tabel-Top-Model VacuFox

Vakuum-Verpackungs-Machines

Features

- Vacuum-chamber and casing complete stainless steel
- Automatic adaptation of the sealing intensity
- Easy removable sealing bar
- Constructed for easy service work
- Automatic process with lid opening
- Extra-clean design of components such as sealingbar, counterbar hinges
- Soft Air reventilation of the chamber
- Acrylioglas lid for observation of packing
- Complete set of filler plates
- Optional: gas flushing device
- Vacuum detection (no Time Controls)
- Oil-regeneration program

VacuFox

Technical Data		VacuFox
Chamber size inside	height depth width	140 mm 360 mm 355 mm
External dimensions	height depth width	325 mm 590 mm 420 mm
Weight		49 kg
Length of sealing-bar		350 mm
Packaging performance		1 to 2 / min.
Vacuum pump standard		10 m³ / h
Electrical supply standard 230V/1 or on request		

Technical modifications reserved

VacuMIT
Maschinenbau
www.vacumit.com

Dieselstrasse 13
93133 Burglengenfeld

info@vacumit.com
Tel. +49(0) 9471 950 660
Fax +49(0) 9471 950 661

Rio International

VacuMIT®

Tabel-Top-Model VacNany

Vacuum-Packing-Machines

Features

- Vacuum-chamber and casing complete stainless steel
- Automatic adaptation of the sealing intensity
- Easy removable sealing bar
- Automatic process with lid opening
- Oil-regeneration program
- Soft Air reventilation of the chamber
- Acrylioglas lid for observation of packing
- Filler plate
- Vacuum detection (no Time Controls)

Tabel-Too-Model VacNany

Technical Data		VacNany
Chamber size inside	height depth width	80 mm 400 mm 300 mm
External dimensions	height depth width	280 mm 550 mm 345 mm
Weight		ca. 28 kg
Length of sealing-bar		290 mm
Packaging performance		ca. 1 min.
Vacuum pump standard		7 m³ / h
Electrical supply standard 230V/ 1 or on request!		

Technical modifications reserved

VacuMIT
Maschinenbau
www.vacumit.com

Dieselstrasse 13
93133 Burglengenfeld

info@vacumit.com
Tel. +49(0) 9471 950 660
Fax +49(0) 9471 950 661

Rio International

VacuMIT®

Tabel-Top-Model EST 10 Series

Vacuum-Packing-Machines

LC and LS Features

- Vacuum-chamber and casing complete stainless steel
- Automatic adaptation of the sealing intensity
- Easy removable sealing bar
- Constructed for easy service work
- Automatic process with lid opening
- Extra-clean design of components such as sealingbar, counterbar hinges
- Soft Air reventilation of the chamber
- Acrylicglas lid for observation of packing
- Complete set of filler plates
- Optional: gas flushing device
- Vacuum detection (no Time Controls)
- Oil-regeneration program

Additional LS Features

- Sensor-microprocessor control with LCD display and „easy clean" touch panel Senso Touch
- 10 individual storeable programs even for interrupted cycles + 2 special programs
- Standard already prepared for „Green Vac" with exact measurement of vacuum

EST 10 LS dome lid (K)

EST 10 LC

Technical Data		EST 10 / EST 10 K
Chamber size inside	height	110 mm 165 mm
	depth	350 mm
	width	305 mm
External dimensions	height	350 mm 415 mm
	depth	535 mm
	width	365 mm
Weight		58 kg
Length of sealing-bar		300 mm
Packaging performance		1 to 3 / min.
Vacuum pump standard		21 m³ / h
Electrical supply standard		LC: 230V / 1 or on request LS: 400V / 3 or on request

Technical modifications reserved

VacuMIT
Maschinenbau
www.vacumit.com

Dieselstrasse 13
93133 Burglengenfeld

info@vacumit.com
Tel. +49(0) 9471 950 660
Fax +49(0) 9471 950 661

Rio International

VacuMIT®

Tabel-Top-Model EST 20 Series

Vacuum-Packing-Machines

Features

- Vacuum-chamber and casing complete stainless steel
- Automatic adaptation of the sealing intensity
- Easy removable sealing bar
- Constructed for easy service work
- Automatic process with lid opening
- Extra-clean design of components such as sealingbar, counterbar hinges
- Soft Air reventilation of the chamber
- Acrylicglas lid for observation of packing
- Complete set of filler plates
- Optional: gas flushing device
- Vacuum detection (no Time Controls)
- Oil-regeneration program

Additional LS Features

- Sensor-microprocessor control with LCD display and „easy clean" touch panel Senso Touch
- 10 individual storeable programs even for interrupted cycles + 2 special programs
- Standard already prepared for „Green Vac" with exact measurement of vacuum

EST 20 KLS with dome lid (K)

EST 20 LC

Technical Data		EST 20 / EST 20 K
Chamber size inside	height depth width	140 mm 210 mm 420 mm 410 mm
External dimensions	height depth width	390 mm 450 mm 580 mm 445 mm
Weight		70 kg
Length of sealing-bar		405 mm
Packaging performance		1 to 2 / min.
Vacuum pump standard		21 m³ / h
Electrical supply standard		LC: 230V/ 1 or on request LS: 400V/ 3 or on request

Technical modifications reserved

VacuMIT
Maschinenbau
www.vacumit.com

Dieselstrasse 13
93133 Burglengenfeld

info@vacumit.com
Tel. +49(0) 9471 950 660
Fax +49(0) 9471 950 661

Rio International

Rio International

Swiss engineering / made in EU

robot coupe®

Rio International

POWER MIXERS

NEW

NEW

RESTAURANTS - CATERERS - DELICATESSENS

Mini RANGE

Mini MP 160 V.V., Mini MP 190 V.V., Mini MP 2[illegible]0 [illegible]2)
Mini MP 190 Combi, Mini MP 240 Combi (1+2+3)

1. BLADE **2.** EMULSIFYING DISC **3.** WHISK

3 accessories

- **a blade assembly** for making soups and sauces
- **an emulsifying disc** for adding volume to hot and cold sauces and giving them a lighter consistency.
- **a whisk** for beating egg whites and making cake mixtures, meringues and whipped cream.
  - Whisk housing with all-metal interior for greater resilience.
  - Whisk wires cleverly shaped to produce even stiffer egg whites.
  - Bell, blade assembly, disc, shaft and whisk can all be removed for cleaning, thus maintaining perfect hygiene, thanks to a patented system exclusive to Robot-Coupe.

robot coupe®

Rio International

FOOD PROCESSORS : BOWL CUTTER/VEGETABLE PREPARATION

R 401 • R 402 • R 402 V.V.

RESTAURANTS - CATERERS

robot coupe®

Rio International

TABLE-TOP CUTTER MIXERS

R2 • R3 • R4 • R4 V.V. • R5 PLUS • R5 V.V. • R6 • R6 V.V.

NEW

RESTAURANTS - INSTITUTIONS - DELICATESSENS - CATERERS

ÜNAL

Rio International

TERMO KAP VAKUM AMBALAJ MAKİNASI

KVG-010

ÜNAL

Rio International

TERMO KAP VAKUM AMBALAJ MAKİNASI

KVG-011

www.unalmakina.com.tr / www.unalnet.com / bilgi@unalnet.com

Rio International

GT

COLLECTION

SOFT ICE CREATIONS

ICE - CREAM HI - TECH

SPM

GT

COLLECTION

SOFT ICE CREATIONS

Rio International

Rio International

2PM

GT

COLLECTION

SOFT ICE CREATIONS

GT
COLLECTION
SOFT ICE CREATIONS
Rio International

The Rio Bette

Rio International

Sanitary. Stro

Powerful Visual Appeal

Spray Circulation
Merchandises your fruit drinks and other beverages

Agitate Circulation
Creates appealing movement of beverages in bowl without causing foam (tea, dairy). Also great for thick products.

Powerfully effective visual display sells more of your product...

Smooth Cleaning

Stainless steel surfaces easily wipe clean. No coils, no domes...

Simply Sanitary
MCX Mag Drive™ Impeller

One-piece, more sanitary, advanced magnetic composite material

Built Simple
the choice is yours:

Two-piece, stainless steel, sanitary dispense system. Cools to the dispense point

Over 80,000 Crathco Bubblers operating worldwide.

er BUBBLER™

Rio International

ng. Profitable.

Curves in All the Right Places

UV protected, ultra-strong, Lexan bowls with rounded, easy-clean corners

Insulated bowl covers for cooling efficiency and condensation control

When it comes to parts and pieces...fewer is better!

Simplicity of design (fewer parts!) makes cleaning fast and easy

Built Stronger - Built to Last

All stainless steel construction for heavy duty commercial use

Choice of stainless steel (-3) or plastic (-4) side panels and drip tray.

How cool is that? ...the coolest!

Unique evaporator proven to cool faster & more efficiently

Your low cost option to postmix juice machines

Dispensing over 3 million drinks per day.

KARYA

Rio International

KARYA 24 - G

KARYA 18 - G

KARYA 16 - P

- Yan panellerde arttırılmış şeffaflık, eğimli ön cam ve 30 derecenin verdiği benzersiz bükülebilirlik yeni Karya'da bir fantaziye dönüşüyor...
- *Fresh elegance meets the fantasy with transparency of the sides, slope of the glass and endless flexibility of the 30 degree curves...*
- KARYA S'in 30 derecelik yapısı sayesinde, diğer tüm KARYA modellerinizi birleştirebilirsiniz.
- *With its 30 degree structure, KARYA S 30 can be multiplexed with all other KARYA models.*

KARYA S

KARYA 18 - P

KARYA - S 30 - G

KARYA - S 30 - G

Işıklı Etiket
Illuminated Labels

Eşsek kıvrımlar
Endless Curves

Pleksi sürgülü arka kapak
Plexi sliding back doors

TROY

Rio International

TROY 24 - G

TROY 18 - GO

TROY 18 - P

- Kalite ve performansın buluşma noktası. Bir vitrinden beklediğiniz her şeyi TROY'da bulacaksınız....
- *The intersection of quality and performance. TROY is everything you can demand from a showcase..*
- Sonsuzluğa giden RÜYA kıvrımlar gelişmiş soğutma teknolojisi ile TROY S'de buluşuyor...
- *State-of-the-art technology meets with the endless DREAM curves in the new 'TROY S'....*

TROY S



TROY S 45

Işıklı Etiket
Illuminated Labels

Hidrolikli açılır ön cam
Hydraulic opening front window

Platoi sürgülü arka kapak
Plato sliding back doors

SMYRNA

Rio International

SMYRNA 24 - G

SMYRNA 18 - G

SMYRNA 18 - P

- 'Kübizm'den gelen gelişmiş tasarım ve 'minimalizm' in sade dik hatları, üstün soğutma teknolojis ile 'SMYRNA' da buluştu.....
- *Advanced design of 'cubism' and simple straight lines of 'minimalism' meet with superior refrigeration technology in the new 'SMYRNA'...*
- ASPEN II'nin ön paneline logo ve çıkıcı tasarımlarınız uygulanabilmektedir.
- *Your logo and special designs can be applied to the front panel of ASPEN II' with the new led light technology*

ASPEN II

ASPENIII 24 - G

ASPENIII 12 - P

ASPENIII 18 - P

BAROQUE VISION

Rio International

Baroque Vision - R 1600

oque VO-15 P

Baroque VO-20 P

Baroque VO-S Corner

Sevel- 1

Rio International

Sevel- 2

Rio International

BRAVILOR BONAMAT

rex royal
Swiss Coffee Machines

LA SPAZIALE
espresso coffee machines

MAZZER

Saeco

ditting SWISS

Dualit

Electrolux
HOTEL EQUIPMENT

Diamond catering equipment

AMERICAN RANGE

robot coupe
KITCHEN EQUIPMENT

NEMOX
PROFESSIONAL CLASS

Omega juicers
Authorized Dealers

FRUCOSOL

SANTOS

Hamilton Beach COMMERCIAL

STAFF ICE SYSTEM

VacuMIT
VACUUM PACKING MACHINE

VAC-STAR
VACUUM PACKING MACHINE

ÜNAL
Tray sealer MACHINE

flamic STAR

SIRMAN

SEVEL SHOWCASE

FRIGOR-BOX

TAGLIAVINI

PaBaTech
Pastry & Bakery Technology

Rio International

We deal Made in ITALY,
SWISS,SPAIN, FRANCE,
BELGIUM, TURKEY,
CZECH REPUBLIC,
HOLLAND &
USA branded products.

www.riodubai.com

Rio International

P.O.Box 12900

Al Garhoud - Dubai

United Arab Emirates (UAE)

Email : info@riodubai.com

Phone : +971 4 28 333 11